

GEOCEL LMN SILICONE SEALANT

Page: 1

Compilation date: 24/01/2014

Revision No: 2

## Section 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name: GEOCEL LMN SILICONE SEALANT

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

## 1.3. Details of the supplier of the safety data sheet

Company name: Geocel Limited

Western Wood Way

Langage Science Park

Plympton
Plymouth
PL7 5BG

**Tel:** 01752 202060 **Fax:** 01752 334384

Email: technical@geocel.co.uk

## 1.4. Emergency telephone number

**Emergency tel:** 01752 202060

(office hours only)

## Section 2: Hazards identification

## 2.1. Classification of the substance or mixture

**Classification under CHIP:** This product has no classification under CHIP. **Classification under CLP:** This product has no classification under CLP.

## 2.2. Label elements

Label elements under CHIP:

Hazard symbols: No significant hazard.

Precautionary phrases: Contains 3 Aminopropyltriethoxysilane. May produce an allergic reaction.

# 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

# GEOCEL LMN SILICONE SEALANT

Page: 2

#### Hazardous ingredients:

DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
265-148-2	3-2 64742-46-7 Xn: R65 Asp. Tox. 1		Asp. Tox. 1: H304	1-10%
		Substance with a Community		
		workplace exposure limit.		
TRIMETHOXYV	INYLSILANE			
-	2768-02-7	-: R10; Xn: R20	Flam. Liq. 3: H226; Acute Tox. 4: H332	1-10%
3-AMINOPROP	YLTRIETHOXYS	LANE		
213-048-4	919-30-2	Xn: R22; C: R34	Acute Tox. 4: H302; Skin Corr. 1B:	<1%
			H314	
METHANOL				
200-659-6	67-56-1	F: R11; T: R23/24/25; T:	Flam. Liq. 2: H225; Acute Tox. 3: H331;	<1%
		R39/23/24/25	Acute Tox. 3: H311; Acute Tox. 3: H301;	

Contains: Trimethoxy(methyl)silane

#### Section 4: First aid measures

# 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

STOT SE 1: H370

immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Do not induce vomiting. Wash out mouth with water.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

## 4.3. Indication of any immediate medical attention and special treatment needed

# **Section 5: Fire-fighting measures**

## 5.1. Extinguishing media

Extinguishing media: Carbon dioxide. Alcohol or polymer foam. Dry chemical powder. Use water spray to cool

containers.

# 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

# 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus.

GEOCEL LMN SILICONE SEALANT

Page: 3

#### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

#### 6.4. Reference to other sections

## Section 7: Handling and storage

## 7.1. Precautions for safe handling

**Handling requirements:** Ensure there is sufficient ventilation of the area.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

## Section 8: Exposure controls/personal protection

## 8.1. Control parameters

## **Hazardous ingredients:**

## DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE

## Workplace exposure limits:

## Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	5 mg/m3	10 mg/m3	-	-

#### **METHANOL**

UK	266 mg/m3	333 mg/m3	-	-
----	-----------	-----------	---	---

## **DNEL/PNEC Values**

#### **DNEL / PNEC** No data available.

## 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area. **Respiratory protection:** Gas/vapour filter, type A: organic vapours (EN141).

Hand protection: Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

GEOCEL LMN SILICONE SEALANT

Page: 4

**Skin protection:** Protective clothing.

## Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Paste

Colour: Various

Odour: Barely perceptible odour

Solubility in water: Insoluble

Flash point°C: >100 Relative density: 1.02

## 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

# 10.1. Reactivity

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

## 10.4. Conditions to avoid

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Water.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

## Hazardous ingredients:

#### **3-AMINOPROPYLTRIETHOXYSILANE**

ORL	MUS	LD50	4	gm/kg
ORL	RAT	LD50	1780	mg/kg

## **METHANOL**

IVN	RAT	LD50	2131	mg/kg
ORL	MUS	LD50	7300	mg/kg

GEOCEL LMN SILICONE SEALANT

Page: 5

ORL RAT LD50 5628 mg/kg

Toxicity values: No data available.

Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

## **Section 12: Ecological information**

## 12.1. Toxicity

Ecotoxicity values: No data available.

## 12.2. Persistence and degradability

Persistence and degradability: No data available.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

## 12.4. Mobility in soil

Mobility: No data available.

## 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

# **Section 13: Disposal considerations**

#### 13.1. Waste treatment methods

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## **Section 14: Transport information**

**Transport class:** This product does not require a classification for transport.

## **Section 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## **Section 16: Other information**

## GEOCEL LMN SILICONE SEALANT

Page: 6

## Other information

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.

H226: Flammable liquid and vapour.

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H331: Toxic if inhaled.

H332: Harmful if inhaled.

H370: Causes damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

R10: Flammable.

R11: Highly flammable.

R20: Harmful by inhalation.

R22: Harmful if swallowed.

R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.

R34: Causes burns.

R39/23/24/25: Toxic: danger of very serious irreversible effects through inhalation, in

contact with skin and if swallowed.

R65: Harmful: may cause lung damage if swallowed.

## Legend to abbreviations: PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

#### GEOCEL LMN SILICONE SEALANT

Page: 7

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = occular

PCP = phycico-chemical properties

Legal disclaimer: This product safety data sheet was prepared in compliance with Regulation (EC) No 1907/2006 (REACH) as well as the relevant amendments, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and mixtures.

> It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Geocel product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Geocel Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with Regulation (EC) No 453/2010.

> All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Geocel shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

> As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Geocel supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Geocel supplier.